

The following table was produced by Assoc. Prof. Dr. Nadim Yilmazer and M.Sc. student Melek Keskin Başpınar from Tekirdağ Namık Kemal University, Faculty of Arts and Sciences, Department of Biology, Tekirdağ, Türkiye, and revised by the former on the **29th of February, 2024**.

The animal species in which lampbrush chromosomes have been reported from their oocytes during oogenesis

Taxa	Species	References**
Invertebrates (A total of 31 species)		
Cnidaria: Anthozoa	<i>Nematostella vectensis</i>	Moiseeva et al., 2017
Crustacea: Isopoda	<i>Anilocra physodes</i>	Callan, 1957
Crustacea: Decapoda	<i>Blepharipoda liberate</i>	Zhou et al., 2018
	<i>Macrobrachium amazonicum</i>	Paschoal & Zara, 2023
Insecta: Diptera	<i>Calliphora erythrocephala</i>	Dävring, 1983
	<i>Drosophila melanogaster</i> <i>Drosophila hydei</i> <i>Drosophila funebris</i>	Dävring & Sunner, 1982
	<i>Locusta migratoria</i>	Kunz, 1967a
Insecta: Orthoptera	<i>Homorocoryphus nitidulus</i> <i>Acrida bicolor</i> <i>Decticus albifrons</i>	Kunz, 1967b
	<i>Gryllus domesticus</i> (<i>Acheta domesticus</i>)	Kunz, 1969
	<i>Blattella germanica</i>	Bier et al., 1967
Insecta: Coleoptera	<i>Carabus granulatus</i> <i>Carabus nemoralis</i> <i>Pterostichus vulgaris</i> <i>Pterostichus niger</i> <i>Abax ater</i>	Bier et al., 1967; Callan, 1986
Insecta: Hymenoptera	<i>Diplolepis rosae</i>	Stille & Dävring, 1980
Insecta: Lepidoptera	<i>Ephestia kuehniella</i>	Weith & Traut, 1980
Insecta: Zygentoma	<i>Thermobia domestica</i>	Tworzydło et al., 2017
Mollusca: Gastropoda	<i>Bithynia tentaculata</i>	Botke, 1973
Mollusca: Cephalopoda	<i>Sepia officinalis</i>	Callan, 1957
Chaetognatha: Sagittoidea	<i>Ferosagitta ferox</i> <i>Flaccisagitta hexaptera</i> <i>Sagitta bipunctata</i> <i>Sagitta elegans</i> <i>Sagitta maxima</i> <i>Sagitta pulchra</i>	Mishin, 1980
Echinodermata: Asteroidea	<i>Echinaster sepositus</i>	Delobel & Delavault, 1971

The animal species in which lampbrush chromosomes have been reported from their oocytes during oogenesis

Taxa	Species	References**
Vertebrates (A total of 151 species)		
Chordata: Cyclostomata	<i>Petromyzon marinus</i> *	Davidson, 1986
Chondrichthyes	<i>Scyllium catulus</i>	Callan, 1957
	<i>Pristiurus melanostomus</i> *	Callan, 1986
	<i>Squalus suckleyi</i> *	
	<i>Torpedo</i> *	
	<i>Callorhynchus callorynchus</i>	Fuentes et al., 2023
<i>Scyliorhinus canicula</i>	Porceddu et al., 2024	
Osteichthyes	<i>Brachydanio rerio</i>	Baumeister, 1973
	<i>Gasterosteus aculeatus</i> *	Callan, 1986
	<i>Trigla hirundo</i> *	
	<i>Heterandria formosa</i>	Uribe & Grier, 2011
	<i>Cyprinodon variegatus</i>	Wallace & Selman, 1981
	<i>Scomber scomber</i>	Bara, 1960
	<i>Micropterus salmoides</i>	Żelazowska & Halajian, 2019
	<i>Labeobarbus marequensis</i>	Żelazowska & Halajian, 2020
	<i>Cobitis elongatoides</i> <i>Cobitis taenia</i>	Marta et al., 2020
	<i>Sander lucioperca</i>	Żelazowska & Kujawa, 2022
	<i>Mullus surmuletus</i>	Berthelin et al., 2022
	<i>Poecilia mexicana</i> <i>Poecilia formosa</i>	Dedukh et al., 2022
	<i>Acipenser ruthenus</i>	Igorova et al., 2022
	<i>Pleuronectes platessa</i>	Sauger et al., 2023
	Amphibia: Urodela	<i>Ambystoma jeffersonianum</i> <i>Ambystoma laterale</i>
<i>Ambystoma macrodactylum</i> <i>Ambystoma gracile</i> <i>Ambystoma tremblayi</i>		Kezer et al., 1980
<i>Ambystoma mexicanum</i>		Callan, 1966
<i>Ambystoma tigrinum</i>		Gall, 1954
<i>Ambystoma texanum</i>		Bogart, 2003
<i>Amphiuma means</i> *		Callan, 1986
<i>Bolitoglossa subpalmata</i>		MacGregor, 1980
<i>Euproctus montanus</i> *		Nardi et al., 1972
<i>Euproctus platycephalus</i> *		
<i>Hynobius quelpaertensis</i>		Ikebe et al., 2005
<i>Necturus maculatus</i> (<i>maculosus</i>) <i>Pseudotriton montanus</i>		Lafontaine & Ris, 1958
<i>Plethodon cinereus cinereus</i> <i>Plethodon cinereus</i>		Macgregor & Kezer, 1973

	<i>polycentratus</i> <i>Plethodon nettingi hubrichti</i> <i>Plethodon richmondi</i> <i>Plethodon dorsalis</i> <i>Plethodon dunni</i> <i>Plethodon vehiculum</i> <i>Eurycea bislineata</i> <i>bislineata</i> <i>Eurycea lucifuga</i>	
	<i>Pleurodeles poireti</i> <i>Pleurodeles waltlii (waltl)</i>	Lacroix, 1968
	<i>Proteus anguineus*</i>	Callan, 1986
	<i>Salamandra salamandra</i>	Mancino et al., 1969
	<i>Siren intermedia</i>	Leon & Kezer, 1974
	<i>Taricha granulosa</i>	Fabergé, 1970
	<i>Taricha torosa*</i>	Callan, 1986
	<i>Notophthalmus (Triturus)</i> <i>viridescens</i>	Gall, 1954
	<i>Triturus carnifex</i> <i>Triturus cristatus</i> <i>Triturus dobrogicus</i> (<i>danubialis</i>) <i>Triturus karelinii</i>	Callan & Lloyd, 1960
	<i>Triturus helveticus</i>	Mancino & Barsacchi, 1966
	<i>Triturus italicus</i>	Mancino & Barsacchi, 1969
	<i>Triturus vulgaris</i> <i>meridionalis</i>	Barsacchi et al., 1970
	<i>Triturus alpestris apuanus</i>	Ragghianti et al., 1972
	<i>Triturus marmoratus</i>	Nardi et al., 1972
	<i>Triturus montandoni</i>	Ragghianti et al., 1978
	<i>Triturus boscai</i> <i>Triturus vittatus ophryticus</i>	Bucci-Innocenti et al., 1983
	<i>Cynops (Triturus)</i> <i>pyrrhogaster</i>	Imoh, 1981
Amphibia: Anura	<i>Ascaphus truei</i>	Macgregor & Kezer, 1970
	<i>Bombina variegata</i> <i>Bufo bufo</i> <i>Bufo calamita</i> <i>Bufo viridis</i>	Ullerich, 1970
	<i>Bufo lentiginosus</i>	King, 1908
	<i>Flectonotus pygmaeus</i>	Macgregor & del Pino, 1982
	<i>Agalychnis callidryas</i> <i>Bufo marinus</i> <i>Bufo typhonius</i> <i>Colostethus inguinalis</i> <i>Dendrobates auratus</i> <i>Engystomops pustulosus</i> <i>Hyla ebraccata</i> <i>Hyla rosenbergi</i>	Davidson & Hough, 1969

	<i>Leptodactylus pentadactylus</i>	
	<i>Pelophylax (Rana) lessonae</i> <i>Pelophylax (Rana) ridibundus</i>	Dedukh et al., 2013
	<i>Rana catesbeiana</i> (<i>Lithobates catesbeianus</i>)	Wu et al., 1986
	<i>Rana (Euphlyctis) cyanophlyctis</i>	Srivastava & Bhatnagar, 1962
	<i>Rana epeirotica</i> <i>Rana shqiperica</i>	Guerrini et al., 1997
	<i>Rana esculenta</i>	Giorgi & Galleni, 1972
	<i>Rana fusca</i> *	Callan, 1986
	<i>Rana pipiens</i>	Rogers & Browder, 1977
	<i>Rana temporaria</i>	Tsvetkov & Parfenov, 1994
	<i>Rana nigromaculata</i> <i>Rana brevipoda</i> <i>Rana plancyi chosenia</i> <i>Rana plancyi fukienensis</i>	Ohtani, 1990
	<i>Rana porosa</i>	Ohtani, 1995
	<i>Rana rugosa</i>	Miura et al., 1996
	<i>Xenopus laevis</i>	Müller, 1974
	<i>Xenopus tropicalis</i>	Penrad-Mobayed et al., 2009
	<i>Rhinella schneideri</i>	Montezol et al., 2018
	<i>Fejervarya cancrivora</i>	Sukarso et al., 2022
	<i>Pelophylax perezii</i>	Dudzik et al., 2023
Reptilia	<i>Hoplodactylus maculatus</i> (<i>Woodworthia maculatus</i>)	Boyd, 1940
	<i>Platydactylus muralis</i> (<i>Platydactylus fascicularis</i> , <i>Tarentola mauritanica</i>)* <i>Anguis fragilis</i> * <i>Testudo hermani</i> * <i>Crocodylus niloticus</i> * <i>Lacerta muralis</i> * <i>Lacerta stirpium</i> * <i>Lacerta viridis</i> * <i>Lacerta vivipara</i> * <i>Uromastix achantinurus</i> *	Callan, 1986
	<i>Lacerta armeniaca</i> <i>Lacerta rostombekovi</i> <i>Lacerta dahli</i> <i>Lacerta saxicola</i> (<i>L. s. defilippii</i> , <i>L. s. portschinskii</i> , <i>L. s. valentini</i>) <i>Eremias velox</i> <i>Eremias strauchi</i> <i>Ophisops elegans</i> <i>Agama caucasica</i> <i>Phrynocephalus helioscopus</i>	Arronet, 1973

	<i>Phrynocephalus reticulatus</i>	
	<i>Bipes biporus</i> <i>Bipes canaliculatus</i>	Macgregor & Klosterman, 1979
	<i>Cistudo europaea</i> * <i>Pseudemys scripta elegans</i>	Callebaut et al., 1997
	<i>Darevskia armeniaca</i> <i>Lacerta agilis</i> <i>Podarcis tauricus</i> <i>Zootoca vivipara</i>	Lukina, 1994
	<i>Pelodiseus sinensis</i>	Nainan et al., 2009
	<i>Trachemys scripta</i>	Davidian et al., 2021
	<i>Chalcides ocellatus</i>	Ibrahim & Wilson, 1989
	<i>Sceloporus torquatus</i> <i>torquatus</i>	Uribe et al., 1995
	<i>Mabuya brachypoda</i>	Hernández-Franyutti et al., 2005
	<i>Hemidactylus flaviviridis</i>	Al-Amri, 2012
	<i>Salvator merianae</i>	García-Valdez et al., 2019
	<i>Alligator mississippiensis</i>	Uribe & Guillette, 2000
	<i>Caiman latirostris</i>	Machado-Santos et al., 2015
	<i>Zootoca vivipara</i>	Kupriyanova & Safronova, 2023
	<i>Alligator sinensis</i>	Nie et al., 2023
Aves	<i>Gallus gallus domesticus</i> <i>Coturnix coturnix japonica</i> <i>Meleagris gallopavo</i> <i>Columba livia</i> <i>Passer domesticus</i> <i>Fringilla coelebs</i>	Solovei et al., 1993
	<i>Taeniopygia guttata</i>	Torgasheva et al., 2019

* The articles of these species could not be found, but they were attributed in the relevant cited reference.

** Although there is more than one related article, the oldest one was included.

References

- Al-Amri, I.S.S. (2012). Reproductive cycle of the house gecko, *Hemidactylus flaviviridis*, in Oman in relation to morphological and ultrastructural changes and plasma steroid concentrations with reference to localisation of progesterone receptors. PhD Thesis, University of Portsmouth.
- Arronet, V.N. (1973). Morphological changes of nuclear structures in the oogenesis of reptiles (Lacertidae, Agamidae). *Journal of Herpetology*, 7, 163-193.
- Bara, G. (1960). Histological and cytological change in the ovaries of mackerel *Scomber scomber* L. during the annual cycle. *Istanbul Univ Fen Fak Mecm Ser B*, 25, 49-91.
- Barsacchi, G., Bussoti, L., & Mancino, G. (1970). The maps of the lampbrush chromosomes of *Triturus* (Amphibia Urodela). IV. *Triturus vulgaris meridionalis*. *Chromosoma*, 31, 255-270.

- Baumeister, H.G. (1973). Lampbrush chromosomes and RNA-synthesis during early oogenesis of *Brachydanio rerio* (Cyprinidae, Teleostei). *Zeitschrift für Zellforschung und mikroskopische Anatomie*, 145, 145-150.
- Berthelin, C., Dubroca, L., Kellner, K., Le Meleder, A., Martin, V., & Sauger, C. (2022). Lexicon of histological structures found in the ovaries and during the oogenesis of the red mullet, *Mullus surmuletus* (Linnaeus, 1758). <https://doi.org/10.13155/75174>
- Bi, K., & Bogart, J.P. (2010). Probing the meiotic mechanism of intergenomic exchanges by genomic in situ hybridization on lampbrush chromosomes of unisexual *Ambystoma* (Amphibia: Caudata). *Chromosome Research*, 18, 371-382.
- Bier, K., Kunz, W., & Ribbert, D. (1967). Struktur und funktion der oocytenchromosomen und nukleolen sowie der extra-DNS während der oogenese panoistischer und meroistischer insekten. *Chromosoma*, 23, 214-254.
- Bogart, J.P. (2003). Genetics and systematics of hybrid species. In D.M. Sever (Ed.) *Reproductive Biology and Phylogeny of Urodela* (pp. 109-134). CRC Press.
- Botke, W. (1973). Lampbrush chromosomes and amphinucleoli in oocyte nuclei of the snail *Bithynia tentaculata* L. *Chromosoma*, 42, 175-190.
- Boyd, M.M.M. (1940). The structure of the ovary and the formation of the corpus luteum in *Hoplodactylus maculatus*, Gray. *Quarterly Journal of Microscopical Science*, 82, 337-376.
- Bucci-Innocenti, S., Raghianti, M., & Mancino, G. (1983). Investigations of karyology and hybrids in *Triturus boscai* and *T. vittatus*, with a reinterpretation of the species groups within *Triturus* (Caudata: Salamandridae). *Copeia*, 3, 662-672.
- Callan, H.G. (1957). The lampbrush chromosomes of *Sepia officinalis* L., *Anilocra physodes* L. and *Scyllium catulus* Cuv. and their structural relationship to the lampbrush chromosomes of Amphibia. *Pubblicazioni Della Stazione Zoologica di Napoli*, 29, 329-346.
- Callan, H.G., & Lloyd, L. (1960). Lampbrush chromosomes of crested newts *Triturus cristatus* (Laurenti). *Philosophical transactions of the Royal Society of London. Series B, Biological Sciences*, 243, 135-219.
- Callan, H.G. (1966). Chromosomes and nucleoli of the axolotl, *Ambystoma mexicanum*. *Journal of Cell Science*, 1, 85-108.
- Callan, H.G. (1986). Historical Introduction. In *Lampbrush chromosomes, Molecular Biology, Biochemistry and Biophysics Vol. 36* (pp. 1-24). Springer.
- Callebaut, M., Van Nassauw, L., & Harrisson, F. (1997). Comparison between oogenesis and related ovarian structures in a reptile, *Pseudemys scripta elegans* (turtle) and in a bird *Coturnix coturnix japonica* (quail). *Reproduction Nutrition Development*, 37, 233-252.
- Davidian, A., Koshel, E., Dyomin, A., Galkina, S., Saifitdinova, A., & Gaginskaya, E. (2021). On some structural and evolutionary aspects of rDNA amplification in oogenesis of *Trachemys scripta* turtles. *Cell and Tissue Research*, 383, 853-864.

- Davidson, E.H., & Hough, B.R. (1969). Synchronous oogenesis in *Engystomops pustulosus*, a neotropic anuran suitable for laboratory studies: localization in the embryo of RNA synthesized at the lampbrush stage. *Journal of Experimental Zoology*, *172*, 25-48.
- Davidson, E.H. (1986). Gene activity during oogenesis. In *Gene Activity in Early Development* (pp. 305-407). Academic Press.
- Dävring, L., & Sunner, M. (1982). A lampbrush phase in oocytes of *Drosophila* and its bearing upon mutagen sensitivity data. *Hereditas*, *97*, 247-259.
- Dävring, L. (1983). Lampbrush chromosomes in the meroistic ovaries of the blowfly *Calliphora erythrocephala*. *Hereditas*, *99*, 177-185.
- Dedukh, D., Mazepa, G., Shabanov, D., Rosanov, J., Litvinchuk, S., Borkin, L., Saifitdinova, A., & Krasikova, A. (2013). Cytological maps of lampbrush chromosomes of European water frogs (*Pelophylax esculentus* complex) from the Eastern Ukraine. *BMC Genetics*, *14*, 26.
- Dedukh, D., da Cruz, I., Kneitz, S., Marta, A., Ormanns, J., Tichopád, T., Lu, Y., Alsheimer, M., Janko, K., & Schartl, M. (2022). Achiasmatic meiosis in the unisexual Amazon molly, *Poecilia formosa*. *Chromosome Research*, *30*, 443-457.
- Delobel, N., & Delavault, R. (1971). Lampbrush chromosomes in *Echinaster sepositus* (Echinoderm, Asteroid). *Caryologia*, *24*, 251-259.
- Dudzik, A., Dedukh, D., Crochet, P.A., Rozenblut-Kościsty, B., Rybka, H., Doniol-Valcroze, P., Choleva, L., Ogielska, M., & Chmielewska, M. (2023). Cytogenetics of the hybridogenetic frog *Pelophylax grafi* and its parental species *Pelophylax perezi*. *Genome Biology and Evolution*, *15*(12), ead215.
- Fabergé, A.C. (1970). A doublet structure in the loops of lampbrush chromosomes of the newt, *Taricha granulosa*. *Caryologia*, *23*, 241-250.
- Fuentes, S.N., Awruch, C.A., Moya, C., Wehitt, A., & Díaz Andrade, M.C. (2023). First detailed description of follicle development in a chimaeroid, the American elephant fish *Callorhynchus callorhynchus*. *Theriogenology Wild*, *2*, 100037.
- Gall, J.G. (1954). Lampbrush chromosomes from oocyte nuclei of the newt. *Journal of Morphology*, *94*, 283-351.
- García-Valdez, V., Sánchez-Loria, O.L., & Chamut, S. (2019). Oogenesis and ovarian histology of the South American lizard *Salvator merianae*. *Rev Agron Noroeste Argent*, *39*(2), 141-154.
- Giorgi, F., & Galleni, L. (1972). The lampbrush chromosomes of *Rana esculenta* L. (Amphibia-Anura). *Caryologia*, *25*, 107-123.
- Guerrini, F., Bucci, S., Raghianti, M., Mancino, G., Hotz, H., Uzzell, T., & Berger, L. (1997). Genomes of two water frog species resist germ line exclusion in interspecies hybrids. *Journal of Experimental Zoology*, *279*, 163-176.

- Hernández-Franyutti, A., Uribe Aranzábal, M.C., & Guillette L.J. Jr. (2005). Oogenesis in the viviparous matrotrophic lizard *Mabuya brachypoda*. *Journal of Morphology*, 265(2), 152-164.
- Ibrahim, M.M., & Wilson, I.B. (1989). Light and electron microscope studies on ovarian follicles in the lizard *Chalcides ocellatus*. *Journal of Zoology*, 218, 187-208.
- Igorova, V., Naraine, R., Psenicka, M., Zelazowska, M. & Sindelka, R. (2022). Comparison of RNA localization during oogenesis within *Acipenser ruthenus* and *Xenopus laevis*. *Front Cell Dev Biol*, 10:982732.
- Ikebe, C., Kuro-o, M., Ohtani, H., Kawase, Y., Matsui, T., & Kohno, S. (2005). Cytogenetic studies of Hynobiidae (Urodela) XIX. Morphological variation of sex chromosomes pairing behavior of sex lampbrush chromosomes in *Hynobius quepaertensis* (Mori) from Cheju Island, South Korea. *Chromosome Research*, 13, 157-167.
- Imoh, H. (1981). Changes in nucleoli at maturation of newt oocyte. *Development, Growth and Differentiation*, 23(1), 33-39.
- Kezer, J., León, P.E., & Sessions, S.K. (1980). Structural differentiation of the meiotic and mitotic chromosomes of the salamander, *Ambystoma macrodactylum*. *Chromosoma*, 81, 177-197.
- King, H.D. (1908). The oogenesis of *Bufo lentiginosus*. *Journal of Morphology*, 19, 369-438.
- Kunz, W. (1967a). Funktionsstrukturen im oocytenkern von *Locusta migratoria*. *Chromosoma*, 20, 332-370.
- Kunz, W. (1967b). Lampenbürstenchromosomen und multiple nukleolen bei orthopteren. *Chromosoma*, 21, 446-462.
- Kunz, W. (1969). The origin of multiple oocyte nucleoli from accessory DNA bodies in *Gryllus domesticus*. *Chromosoma*, 26, 41-75.
- Kupriyanova, L., & Safronova, L. (2023). A brief review of meiotic chromosomes in early spermatogenesis and oogenesis and mitotic chromosomes in the viviparous lizard *Zootoca vivipara* (Squamata: Lacertidae) with multiple sex chromosomes. *Animals*, 13, 19.
- Lacroix, J.C. (1968). Etude descriptive des chromosomes en écouvillon dans le genre *Pleurodeles* (Amphibien, Urodèle). *Ann Embr Morph*, 1, 179-202.
- Lafontaine, J.G., & Ris, H. (1958). An electron microscope study of lampbrush chromosomes. *The Journal of Biophysical and Biochemical Cytology*, 4(1), 99-106.
- Leon, P.E., & Kezer, J. (1974). The chromosomes of *Siren intermedia nettingi* (Goin) and their significance to comparative salamander karyology. *Herpetologica*, 30, 1-11.
- Lukina, N.A. (1994). Characterization of meiotic chromosomes in the oocytes of some Lacertidae (Reptilia). *Tsitologiya*, 36(4), 323-329.
- Macgregor, H.C., & Uzzell, T.M. Jr. (1964). Gynogenesis in salamanders related to *Ambystoma jeffersonianum*. *Science*, 143(3610), 1043-1045.

- Macgregor, H.C., & Kezer, J. (1970). Gene amplification in oocytes with 8 germinal vesicles from the tailed frog *Ascaphus truei* Stejneger. *Chromosoma*, 29, 189-206.
- Macgregor, H.C., & Kezer, J. (1973). The nucleolar organizer of *Plethodon cinereus cinereus* (Green). II. The lampbrush nucleolar organizer. *Chromosoma*, 42, 427-444.
- Macgregor, H., & Klosterman, L. (1979). Observations on the cytology of *Bipes* (Amphisbaenia) with special reference to its lampbrush chromosomes. *Chromosoma*, 72, 67-87.
- Macgregor, H. (1980). Recent developments in the study of lampbrush chromosomes. *Heredity*, 44, 3-35.
- Macgregor, H.C., & del Pino, E. (1982). Ribosomal gene amplification in multinucleate oocytes of the egg brooding hylid frog *Flectonotus pygmaeus*. *Chromosoma*, 85, 475-488.
- Machado-Santos, C., Santana, L.N.S., Vargas, R.F., Abidu-Figueiredo, M., Brito-Gitirana, L., & Chagas, M.A. (2015). Histological and immunohistochemical study of the ovaries and oviducts of the juvenile female of *Caiman latirostris* (Crocodylia: Alligatoridae). *Zoologia*, 32(5), 395-402.
- Mancino, G., & Barsacchi, G. (1966). Le mappe dei cromosomi lampbrush di *Triturus* (Anfibi Urodela). II. *Triturus helveticus helveticus*. *Rivista di Biologia (Perugia)*, 59, 311-351.
- Mancino, G., & Barsacchi, G. (1969). The maps of the lampbrush chromosomes of *Triturus* (Amphibia Urodela). III. *Triturus italicus*. *Ann Embryol Morphog*, 2, 355-377.
- Marta, A., Dedukh, D., Bartoš, O., Majtánová, Z., & Janko, K. (2020). Cytogenetic characterization of seven novel satDNA markers in two species of spined loaches (*Cobitis*) and their clonal hybrids. *Genes*, 11, 617.
- Mishin, V.L. (1980). Interrelation between the sexual and digestive systems of chaetognaths (Chaetognatha). *Arkhiv Anatomii, Gistologii i émbriologii*, 79(12), 63-67.
- Miura, I., Ohtani, H., Kashiwagi, A., Hanada, H., & Nakamura, M. (1996). Structural differences between XX and ZW sex lampbrush chromosomes in *Rana rugosa* females (Anura: Ranidae). *Chromosoma*, 105(4), 237-241.
- Moiseeva, E., Rabinowitz, C., Paz, G., & Rinkevich, B. (2017). Histological study on maturation, fertilization and the state of gonadal region following spawning in the model sea anemone, *Nematostella vectensis*. *PLoS ONE*, 12(8): e0182677.
- Montezol, M., Cassel, M., Silva, D., Ferreira, A., & Mehanna, M. (2018). Gametogenesis and reproductive dynamics of *Rhinella schneideri* (Anura: Bufonidae): Influence of environmental and anthropogenic factors. *Acta Zoologica*, 99, 93-104.
- Müller, W.P. (1974). The lampbrush chromosomes of *Xenopus laevis* (Daudin). *Chromosoma*, 47, 283-296.
- Nainan, H., Ping, Y., Yang, Y., Jinxiong, L., Huijun, B., Haili, L., Hui, Z., & Qiusheng, C. (2009). Fine structural observation on the oogenesis and vitellogenesis of the Chinese soft-shelled turtle (*Pelodiseus sinensis*). *Zygote*, 18, 109-120.

- Nardi, I., Raghianti, M., & Mancino, G. (1972). Characterization of the lampbrush chromosomes of the marbled newt *Triturus marmoratus* (Latreille, 1800). *Chromosoma*, 37, 1-22.
- Nie, H., Xu, Y., Zhang, Y., Wen, Y., Zhan, J., Xia, Y., Zhou, Y., Wang, R., & Wu, X. (2023). The effects of endogenous FSH and its receptor on oogenesis and folliculogenesis in female *Alligator sinensis*. *BMC Zool*, 8, 8.
- Ohtani, H. (1990). Lampbrush chromosomes of *Rana nigromaculata*, *R. brevipoda*, *R. plancyi chosonia*, *R. p. fukienensis* and their reciprocal hybrids. *Scientific Report of the Laboratory for Amphibian Biology, Hiroshima University*, 10, 165-221.
- Ohtani, H. (1995). Local variations in the lampbrush chromosomes of the Japanese pond frog, *Rana porosa*. *Caryologia*, 48(2), 189-199.
- Paschoal, L.R.P., & Zara, F.J. (2023). Assessing the ovarian development of *Macrobrachium amazonicum* (Heller, 1862) phenotypes by means of an integrative analysis. *Tissue and Cell*, 84, 102166.
- Penrad-Mobayed, M., El Jamil, A., Kanhoush, R., & Perrin, C. (2009). Working map of the lampbrush chromosomes of *Xenopus tropicalis*: a new tool for cytogenetic analyses. *Developmental Dynamics*, 238(6), 1492-1501.
- Porceddu, R., Porcu, C., Mulas, G., Spiga, S. & Follesa, M.C. (2024). Ontogenetic changes in the tyrosine hydroxylase immunoreactive preoptic area in the small-spotted catshark *Scyliorhinus canicula* (L., 1758) females: catecholaminergic involvement in sexual maturation. *Front Neuroanat*, 17, 1301651.
- Raghianti, M., Nardi, I., & Mancino, G. (1972). Completion of the morphology of the lampbrush chromosomes of the Italian Alpine newt *Triturus alpestris apuanus* Bonaparte. *Experientia (Basel)*, 28, 588-590.
- Raghianti, M., Bucci-Innocenti, S., & Mancino, G. (1978). Karyology of the Carpathian newt *Triturus montandoni* and cytotaxonomic considerations on the species group *T. vulgaris* (Urodela: Salamandridae). *Caryologia*, 31(2), 243-256.
- Rogers, R.E., & Browder, L.W. (1977). Morphological observations on cultured lampbrush-stage *Rana pipiens* oocytes. *Developmental Biology*, 55, 135-147.
- Sauger, C., Quinquis, J., Berthelin, C., Lepoittevin, M., Elie, N., Dubroca, L., & Kellner, K.A. (2023). Quantitative histologic analysis of oogenesis in the flatfish Species *Pleuronectes platessa* as a tool for fisheries management. *Animals*, 13, 2506.
- Solovei, I., Gaginskaya, E., Hutchison, N., & Macgregor, H. (1993). Avian sex chromosomes in the lampbrush form: the ZW lampbrush bivalents from six species of bird. *Chromosome Research*, 1, 153-166.
- Srivastava, M.D.L., & Bhatnagar, A.N. (1962). Lampbrush chromosomes of *Rana cyanophlyctis*. *Cytologia (Tokyo)*, 27, 60-71.
- Stille, B., & Dävring, L. (1980). Meiosis and reproductive strategy in the parthenogenetic gall wasp *Diplolepis rosae* (L.) (Hymenoptera, Cynipidae). *Hereditas*, 92, 353-362.

- Sukarso, A.A., Mertha, I. G., Raksun, A., Merta, I. W., & Bahri, S. (2022). Pelatihan Preparasi Oosit untuk Pengamatan Kromosom Lampbrush pada Guru-Guru Biologi di Lombok Barat. *Jurnal Pengabdian Magister Pendidikan IPA*, 5(4), 369-377.
- Torgasheva, A.A., Malinovskaya, L.P., Zadesenets, K.S., Karamysheva, T.V., Kizilova, E.A., Akberdina, E.A., Pristyazhnyuk, I.E., Shnaider, E.P., Volodkina, V.A., Saifitdinova, A.F., Galkina, S.A., Larkin, D.M., Rubtsov, N.B., & Borodin, P.M. (2019). Germline-restricted chromosome (GRC) is widespread among songbirds. *Proc Natl Acad Sci USA*, 116, 11650-11845.
- Tsvetkov, A.G., & Parfenov, V.N. (1994). Seasonal transformations in the lampbrush chromosomes and the morphogenesis of the karyosphere capsule in *Rana temporaria* oocytes detectable by an analysis of the isolated nuclear structures. *Tsitologiia*, 36(1), 64-70.
- Tworzydło, W., Marek, M., & Kisiel, E. (2017) Meiosis, Balbiani body and early asymmetry of *Thermobia* oocyte. *Protoplasma*, 254, 649-655.
- Ullerich, F.H. (1970). DNS-Gehalt und chromosomenstruktur bei amphibiën. *Chromosoma*, 30, 1-37.
- Uribe, M.D.C.A., Omana, M.E.M., Quintero, J.G., & Guillette, L.J. Jr. (1995). Seasonal variation in ovarian histology of the viviparous lizard *Sceloporus torquatus torquatus*. *Journal of Morphology*, 226(1), 103-119.
- Uribe, M.C.A., & Guillette, L.J. Jr. (2000). Oogenesis and ovarian histology of the American alligator *Alligator mississippiensis*. *Journal of Morphology*, 245, 225-240.
- Uribe, M.C., & Grier, H.J. (2011). Oogenesis of microlecithal oocytes in the viviparous teleost *Heterandria formosa*. *Journal of Morphology*, 272(2), 241-57.
- Wallace, R.A., & Selman, K. (1981). Cellular and dynamic aspects of oocyte growth in teleosts. *American Zoologist*, 21(2), 325-343.
- Weith, A., & Traut, W. (1980). Synaptonemal complexes with associated chromatin in a moth, *Ephestia kuehniella* Z. The Fine Structure of the W Chromosomal Heterochromatin. *Chromosoma*, 78, 275-291.
- Wu, Z., Murphy, C., & Gall, J.G. (1986). A transcribed satellite DNA from the bullfrog *Rana catesbeiana*. *Chromosoma*, 93, 291-297.
- Żelazowska, M., & Halajian, A. (2019). Previtellogenic oocytes of South African largemouth bass *Micropterus salmoides* Lacépède 1802 (Actinopterygii, Perciformes) - the Balbiani body, cortical alveoli and developing eggshell. *Journal of Morphology*, 280(3), 360-369.
- Żelazowska, M., & Halajian, A. (2020). Asymmetry in the cytoplasm of oocytes of largescale yellowfish *Labeobarbus marequensis* Smith 1841 (Teleostei: Cypriniformes: Cyprinidae). *Journal of Morphology*, 281(8), 997-1009.
- Żelazowska, M. & Kujawa, R. (2022). Microscopic study of the primary growth ovarian follicles of the pike-perch *Sander lucioperca* (Linnaeus 1758) (Actinopterygii, Perciformes). *Micron*, 160, 103318.

Zhou, L., Wang, X., Wu, B., Sun, X., Zhao, Q., Zhang, G., Liu, Z., & Yang, A. (2018). Karyological analysis of the sea cicada *Blepharipoda liberate* Shen from the Rizhao intertidal zone, China. *Journal of Oceanology and Limnology*, 37, 169-175.